


GANSHIN, A.A.; MAKAROVA, G.A.

Determination of the heat transfer coefficient of heat exchangers under operational plant conditions. Gidroliz. i lesokhim.prom. 13 no.7:21-22 '60. (MIRA 13:10)

1. Giproleskhim (for Ganshin). 2. Vakhtanskiy kanifol'noekstraktsionnyy savod (for Makarova).

(Heat exchangers) (Heat--Transmission) (Wood--Chemistry)



FD-1556

USSR/Chemistry - Acid-proof materials GANSHIN, A.S.

74*N5NIN, H.*J. Card 1/1

: Pub. 50-13/25

Author

: Ganshin, A. S.

Title

: The new acid-proof packing KNP-4

Periodical

: Khim. prom., No 8. pp 494-95 (46-47), Dec 1954

Abstract

: Describes the production of the packing KMP-4, which is to be used in the stuffing boxes of acid pumps. KMP-4 is prepared by treating chrysotile asbestos with a mixture of synthetic resin, rubber, plasticizers, and graphite diluted with a solvent, and then dipping it into

a hot mass consisting of petroleum products.

Institution

: The Yegor'yevsk Plant ATI, Ministry of Chemical Industry USSR

Submitted


•

BOROKHOV, I.M.; GAUSHIN, A.S.; MAKAR'IN, N.M., inzh., red.; PROKOF'YEVA,
L.G., red.izd-va; UVAROVA, A.F., tekhn.red.

[Fibrous and combined gland packings] Volcknistye i kembinirevennye sal'nikovye nabivki. Moskva, Gos.nauchno-tekhn.izd-vo
mashinostroit.lit-ry, 1959. 181 p.

(Packing (Mechanical engineering))

(Packing (Mechanical engineering))



GANSHIN. Georgiy Aleksandrovich; LMPNIKOVA, Ye., redaktor; MUKHIN, Yu., tekhnicheskiy redaktor

[Chinese People's Republic on the road to socialist industrialization] Kitaiskaia Marodmaia Respublika na puti sotsialisticheskoi industrializatii. Moskva, Gos.isd-vo polit.lit-ry, 1955. 190 p.

(China-- Industrialization)

(MIRA 9:3)

30(1,5)

PHASE I BOOK EXPLOITATION

SOV 2275

Ganshin, Georgiy Aleksandrovich

Ekonomika Kitayskoy Narodnoy Respubliki (Economy of the Chinese People's Republic) Moscow, Izd-vo IMO, 1959. 356 p. 4,000 copies printed.

Sponsoring Agency: Institut mezhdunarodnykh otnosheniy.

Ed.: V. D. Shchetinin; Tech. Ed.: N.A. Belyayev.

PURPOSE: The book is intended for economists and laymen interested in the development of China.

coverage: The book contains information on the economic system and conditions in the Chinese People's Republic. Data on individual branches of Chinese industry are available Main emphasis is put on the organization of the socialist economy and its functioning. For comparison a historical sketch is given for each of the major branches of economic activity, such as agriculture, industry, commerce, and transport. There are numerous tables and several maps. The author thanks A. Chekhutov of the Institute of Sinology, Academy of Sciences,

Card 1/13

全球機能に対象性を通じませた。 これをおくている (and the control of the SOV/2275 Economy of the Chinese People's (Cont.) USSR, who compiled Chapter IX, and . M. Klimova of the same Institute who compiled the Russian-Chinese dictionary of economic terms. The terms are listed in both Chinese characters and Russian (Cyrillic) transliteration. The biblicgraphy lists works on economics by Chinese and Russian authorities. TABLE OF CONTENTS: 3 From the Author Introduction Ch. I. Economic Development of China Prior to the Victory of the Peo-10 ple's Revolution 1. Dominance of foreign capital in China (11). China's economy in the first half of the XIX Century (11). Beginnings of capitalist industry (14). Struggle of imperialist countries for spheres of influence (15). China's economy during the First 17 World War 2. China's economy in the period between World Wars (19). The Great October Socialist Revolution and China (19). Growth of foreign capital investments in China (20). Vestiges of feudalism Card 2/13

Economy	of the Chinese People's (Cont.)	80V/22 75	
	in China's agriculture (22). Economic back of China's development	wardness and uneveness	
3.	Conversion of Northeastern China into a raw industrial base of Japanese imperialism heavy industry and transportation (27). At development of the economy in Northeastern	normal features in the	
4.	Chine's economy during the Second World War uation in the non-occupied portions of Chir cratic [State] capital and its growth (32), ion in liberated regions	a (31). Bureau-	
5•	Economic crisis on the eve of the victory of ution in China (36). Economic expansion of ism (37). Economic dislocation in pre-revolution construction in regions liberated	American imperial- Dutionary China (39).	
Card 3/	1 13		
•			

II.	. Economic Structure of the Chinese People's Republic and the Fundamental Principles of Its Economic Policy	43
•	Main tocial and become changes and rehabilitation of economy (43) Elimination of the dominance of foreign capital (44). Socialist	•
	nationalization (46). Agrarian reforms (47). Centralization of financial and economic activities [planning] (48). Rehabilitation of national economy	50
? .	Economic conditions in the Chinese People's Republic during the transition period (51). Forms of private property and versatility in the economy of the Chinese People's Republic (52). Leading role of state authorities	56
•	Main tasks of the Chinese People's Republic during the transition period (58). Socialist industrialization (59). Socialist transformation of agriculture (61). Socialist transformation of private capital	64
•	Fulfillment of the First Five Year Plan and completion of the essentials of Socialist transformation in the economy (70).	
. 4,	/13	

	of the Chinese People's (Cont.) Completion of the essentials of Socialist transformation (73).	
	Effects of the economic principles of Socialism upon the national economy of the Chinese People's Republic (75). Changes in the class structure of Chinese society	78
	Tasks and prospects of building a socialist economy in the Chinese People's Republic (79). Basic party line in the building of socialism (79). Leading economic tasks of the Chinese People's Republic (81). Progress of development of individual [economic] branches (83). Fundamental provisions for the development of Chinese agriculture in 1956-1967 (85). A need for a technological and cultural revolution	87
6.	The system of management of national economy (90). Establishment of economic control bodies (90). Planned national economy (91). Administration of state enterprises (93). Organization of economic control	• 95
Ch. II	Economic Cooperation of the Chinese People's Republic With the USSR and the Countries of People's Democracy	98
Card 5	/13	

ार हे । १८५ - मेजार समावर को राज्य केलावद्वाका सम्बत्तिक मेव्यक्ति मेनिवद्यानिकालिय किलान के बेटरिय उत्तर किसावद मेलेकालियानिकालिया SOV/2275 Economy of the Chinese People's (Cont.) 1. Chinese People's Republic Within the socialist bloc of the world (98). Principles of economic cooperation of the Chinese People's Republic with the countries of Socialism (99). Sharing the experi-100 ence of the building of Socialism 2. Forms of economic cooperation between the Chinese People's Republic and the USSR and other countries of the socialist bloc (101). Mutual financial and economic assistance (102). Mutually profit-106 able commerce (105). Scientific and technological cooperation and training of personnel Ch. IV. Socialist Industrialization of the Chinese People's Republic 111 1. Problems of the socialist industrialization of China (111). Working out the principles of industrialization by the Chinese Communist Party (113). Ratio of the heavy industry to light industries (115). Problems of capital construction (117). Gradual elimination of the uneveness in the distribution of industry (119). 122 Development of local industries Card 6/13

Econon	y of the Chinese People's (Cont.)	sov/2275	
2.	Development of Chinese industry in the First a Plans (123). Summary results of the First Fiv Increase in the technological level of industry labor productivity (128). Basic objectives of Plan in industry	e Year Plan (124). y (127). Growth of	129
3.	Working class in China and its struggle for the the country (131). Increase in number of the Training of industrial personnel (134). Improved and social conditions of workingmen (136). In unions (138). Productive [socialist] competitions	working class (131). wement of working creased role of trade	139
4.	Characteristics of the basic branches of Chine Fuel and power industry (142). Metallurgical Machine-building industry (156). Chemical industranches of heavy industry (161). Textile industry processing industry	industry (150). Justries (160). Other	168
Card 7	/13		
التناصي	1.1 1		

5•	Household industries and their transformation (171). Position occupied by household industries in the Chinese economy (171). Co-	
	operation in the household industries	173
h. V.	Solution of the Agrarian Question and Development of Agriculture in the Chinese People's Republic	176
1.	Agriculture prior to the victory of the people's revolution (176). General characteristics of agriculture (177). Agrarian conditions in old China (178). Struggle of the Chinese Communist Party for a	- 0-
	revolutionary solution of the agrarian question	181
2.	Agrarian reforms and their significance for the development of agriculture in China (184). The system of carrying out agrarian	
	reforms (187). Social and economic changes resulting from agrarian reforms	189
3.	Socialist reforms in the agriculture of China (190). Setting the course towards cooperation in agriculture (190). Iabor groups of mutual aid (192). Small-scale farm co-operatives (193). Increase in socialist cooperation in 1955-1956 (195). Gradual elim-	
	ination of the Kulaks (197). Large-scale farm cooperatives (198)	

Econor	ny of the Chinese People's (Cont.)	50V /2275	
	Development of communes	2	00
4.	Measures taken by the people's government to Irrigation and afforestation schemes (203). ing practices (204). Mechanization of agric	Improvement of farm- culture (206). State	
	farms in the agriculture (208). Expansion	of arable lands	09
5•	Agricultural production in the Chinese Peoplits regional distribution (210). Growth of Agriculture (212). Animal husbandry (218).	farm production (210).	
	ing (220). Forestry	2	22
	. Development of Transport Facilities in the Republic	2	24
1.	General characteristics of Chinese transport Transport facilities in Old China (224). Report facilities [after World War II] (227).	ehabilitation of trans-	
	port facilities as an urgent economic proble		29
Card 9	Д3		

2.	Railway transport in the Chinese People's Republic (230). Construction of railways (230). Reconstruction of equipment and new methods of operating the railways	235
3•	Other types of transport (237). Water transport (237). Motor transport, air transport, and other transport facilities	239
. VI	I. Domestic Commerce of the Chinese Reople's Republic Domestic commerce prior to the victory of people's revolution (241).	1911
	Peculiarities of internal market (241). Commerce under Chiang- kai-shek	242
2.	Consolidation of internal markets and development of commodity circulation in the Chinese Feople's Republic (243). Stabilization of prices (243). Expansion of domestic markets (244). Development of commerce in outlaying districts of the country (246).	
	System of planned purchase and supply	247
3•	Development and consolidation of the leading role of the state and cooperative commerce (249). State trade (249). Cooperative trade (251). Socialist transformation of private commerce (253). Develop-	253
	ment of commerce in the First Five Year Plan	2))

SOV/2275 Economy of the Chinese People's (Cont.) Ch. VIII. Foreign Commerce of the Chinese People's Republic 256 1. General characteristics of the foreign trade of the Chinese People's Republic (256). Foreign trade in Old China (256). Features and tasks of foreign trade in the Chinese People's Republic (257). Foreign commerce policy of the Chinese People's 260 Republic (257). Organization of foreign trade 2. Volume and structure of foreign trade of the Chinese People's Republic (262). Growth of foreign trade turnover (262). Changes in the structure of imports (262). Changes in the 264 structure of exports 3. Trade between the Chinese People's Republic and the USSR and other countries of the Mocialist bloc (265). Trade with the USSR (266). Trade with the countries of people's democracy 4. Trade between the Chinese People's Republic and the capitalist countries (270). Failure of the "blockade" of China (270). Trade with Asiatic and African countries (272). Trade with Japan (275). Trade with the European capitalist countries Card 11/13

	Consolidation and Development of the Financial and Monetary System of the Chinese People's Republic	278
1.	Creation of the new financial system for the Chinese People's Republic (278). Finance in Old China (278). Struggle for the reconstruction of finances and creation of the new financial system in the Chinese People's Republic	280
2.	State budget of the Chinese People's Republic (285). Structure of the budget (284). Taxation system (286). Loans (289). Organization of budgeting	£ 290
3.	Credit policy in the Chinese People's Republic (292). Banks (292) Cooperative loan societies) . 295
4.	Consolidation of the monetary system (296). Unification of currency (296). Currency reform of 1955	297
	Growth of Material Welfare and Cultural Level of the Chinese People	299
1.	Progress of material well-being (299). Development of health service	301

2.	iona		cural level (302). Development of science (302). Development of publishing, cinemas	
310110	graph	y		
lppend:				
	Appe	ndix Nr 1:	Statistical data on the development of nat	
	Appe	ndix Nr 2:	economy in the Chinese People's Republic Russian-Chinese vocabulary of economic ter arranged by order of their appearance in t	
			text	328
			The Chinese system of measures Main railway lines of China	355 356
VAILA	BLE:	Library of	Congress	
	<i>(</i>			IS/fal
ard 1	3/13			10-5-59

PELESHOK, A.G., inzh.; GANSHIN, L.G., inzh.; BIRMAN, L.G., inzh.

Experience gained in the operation of the leading model of the BKZ-100 GM boiler. Elek. sta. 34 no.8:4-7 Ag '63. (MIRA 16:11)

ILIVITSKIY, A. A.; NIKOLIN, V. I.; DUBYNIN, N. G.; GAN'SHIN, L. P.;
RYABCHENKO, Ye. P.; SVAROVSKIY, B. M.; TREGUBOV, B. G.;
TRUFAKIN, N. Ye.

"Determining the properties of rocks" by L. I. Baron, B. M. Loguntsov, and E. Z. Pozin. Reviewed by A. A. Ilivitskii and others. Gor. zhur. no.10:77-78 0 62. (MIRA 15:10)

1. Institut gornogo dela Ural'skogo filiala AN SSSR, Sverdlovsk (for Ilivitskiy, Nikolin). 2. Institut gornogo dela Sibirskogo otdeleniya AN SSSR, Novosibirsk (for Dubynin, Gan'shin, Ryabchenko, Svarovskiy, Tregubov, Trufakin).

(Rocks—Testing) (Baron, L. I.) (Loguntsov, B. M.) (Pozin, E. Z.)

GAN'SHIN, N.N., inzh.

The author is right, but not entirely. Avtom., telem. i sviaz' 8 no.4:41-43 Ap '64. (MIRA 18:2)


1. Gosudarstvennyy proyektno-izyskatel'skiy institut po proyektirovaniyu signalizatsii, tsentralizatsii, svyazi i radio na zheleznodorozhnom transporte.


GAN'SHIN, V. M., Cand Agr Sci -- (diss) "Growing of Seeds of Meadow Pasture Grasses in Grass Mixtures." Len, 1957. 20 pp (Min of Higher Education USSR, Len Agricultural Acad), 100 copies (KL, 48-57, 107)


- 45 -

GAN'SH	SHIN, V.M., kand.tekhn.nauk				
•	A useful book ("Measuring the structures by geodetic methor Reviewed by V.N.Gan'shin).	ods" by P.I.	Brait, E.N.Me t. no. 11:64-	dvetskii. 65 N 160.	
	(Surveying)	(Buildi	ng)	MIRA 13:12)	
		.I.)	(Medvetskii,	E.N.)	
					•

Formulas for animaths and length to of geodesic lines	, whose ends lie	
on the same paralisms, Iron vyos upbbs sava) geods 3-4 63	Lagrata no.fr (MIRA 1727)	
1. Leningradeksy issiitur lastener or shelesmodorost	mograciama posta.	







GAN'SHIN, V. N.

"Mathematical Processing of Observations Similar in Form With Directional & Observations".

Sb. statey po geodezii, No. 8, pp 27-40, 1954.

A general theory of balacing the results of direction measurements carried out in arbitrary programming is described. A "method of cycles" is suggested, a "cycle" being a set of n operations. (RZhAstr, No. 1, 1956)


SO: Sum No 884, 9 Apr 1956


GAN'SHIN, Vladimir Nikolaevich.


Tachymetric tables for the calculation of vertical and horizontal distances in working with circular tachymeters and plane-table alidades Iza. 2., perer. Moskva, Goslesbumizdat, 1955. 247 p. (55-44248)

- 1. Surveying Tables, etc.
- 2. Tachymeter.
- 3. Leveling. I. Khrenov, L. S.

TA552.G2 1955










GAMISHIN, Vladimir, Nikolayevich; BOL'SHAKOV, Nikolay Nikolayevich;
KOMAR'KOVA, L.M., red.izd-ve; ROMANOVA, V.V., tekhn.red.

[Fedor Alekseevich Sludskii; the geodesist] Fedor Alekseevich
Sludskii, uchenyi geodesist. [n.p.] Isd-vo geodes. lit-ry,
1957. 154 p.
(Sludskii, Fedor Alekseevich, 1841-1897)

(Sludskii, Fedor Alekseevich, 1841-1897)







507/154-58-2-3/22 Gan'shin, V. N., Docent, Candidate of Technical Sciences AUTHOR: A Comparison of the Lengths of the Normal Section and the Geodesic TITLE: Line (Sravneniye dlin normal'nogo secheniya i geodezicheskoy linii) Izvestiya vysshikh uchebnykh zavedeniy. Geodeziya i PERIODICAL: aerofotos"yemka, 1958, Nr 2, pp 33-41 (USSR) Since it is at present highly necessary to obtain the difference ABSTRACT: $\mathbf{D}_{\mathbf{S}}$ between the lengths of a normal section and the geodesic line in measuring great lengths without a limitation with regard to o such a method is presented in the article. In solving this problem - to compute D with a standard accuracy (with the errors in the terms containing e) - it suffices to assume that the values U_1 , U_2 , U, A_1 , A_2 A, and σ_1 and σ_2 , contained in the formulae (85/167), (85/168), and (78/146), are elements of a spherical triangle (The formulae were derived by F. A. Sludskiy, Ref 1). Here, formula (16) for D_s is derived. It is incorrect by e, but more accurate than the current formula in which the term Card 1/2

SOV/154-58-2-3/22 Comparison of the Lengths of the Normal Section and the Geodesic Line

containing σ^6 is greater by a factor of 5. Formula (16) can be transformed into formula (17) to be used in the case of a relative error of 5 per cent. There are 1 figure, 1 table, and 3 references, 3 of which are Soviet.

ASSOCIATION: Stalingradskiy institut inzhenerov gorodskogo khozyaystva

(Stalingrad Institute for Communal Economy Engineers)

SUBMITTED: November 20, 1957

Card 2/2

CIA-RDP86-00513R000614220019-6"

APPROVED FOR RELEASE: 09/17/2001

VIV, MIHEMAS

AUTHOR:

None Given

6-58-4-18/18

TITLE:

Chronicle (Khronika)

PERIODICAL:

Geodeziya i Kartografiya, 1958, Nr 4, pp. 79-80 (USSR)

ABSTRACT:

From February 15, to February 22, 1958 the XII. Scientifical and Technical Conference took place at the Novosibirsk Institute of Engineers of Geodesy, Aerial Photography, and Cartography. The results obtained by the work performed by the Institute in 1957 were made known. The conference was attended by about 200 geodesists and cartographers of 20 scientific- and production-organizations of Novosibirsk, Stalingrad, Kuybyshev, Sverdlovsk, Omsk, Tomsk, Abakan, Krasnoyarsk. Among them were the geodesists occupied with building the hydraulic power plants of Kuybyshev, Novosibirsk and Krasnoyarsk. Lectures delivered at the plenary session: S.A. Kapustin on "Critique of Modern Reformist Theories of State Monopoly Capitalism", R.G.Bannova on "The Penetration of Marxist Ideas into Russia between the Fourties and Seventies of the 19th Century", N.V. Shubin on "Soviet Geodesy and Cartography on the Occasion of the 40th Anniversary of the Great Socialist October Revolution", M.N.Kolobkov on the "Unified Power System of Central

Card 1/3

Chronicle

6-58-4-18/18

Siberia and its Importance for the Economic Development of this Region. The following 15 lectures were delivered at the sessions of the department for geodesy: Docent A.I.Agroskin "On the Problem of Angle-Observation in Triangulation" (by which the opinion expressed by Yu.A. Aladzhalov is refuted). Docent Methods of Solving Major Geodetical V.N.Gan'shin "Rffacient Problems". Docent A.V.Butkevich "On the Elimination of Successive Approximation in Some Geodetical Calculations". Docent A.A. Vizgin and V.P. Napalkov "The Analysis of the Accuracy of Geodetic Leveling". Chief Engineer I.Ye.Donskikh of the geodetical sector of the Orgenergostroy on "Experience Gathered in Connection with the Determination of Coordinates in the Dam-Tunnel of the Kuybyshev Hydraulic Power Plant". A.A.Meshcheryakov, Candidate of Technical Sciences on "The General Theory of Euler Projection". Chief Geodesist V.P. Utin of the Lengidep Expedition on "Geodetical Work Carried out on the Building Site of the Krasnoyarsk Hydraulic Power Plant". Docent G.I. Znamenshchikov "On the Reducing of the Length of Curved Lines Measured on Maps to the Scale of 1: !". (Here it is shown that the method developed by Professor N.M. Volkov has some basic faults). Chief of the Geological Research Expedition of Omsk, Candidate of Technical Sciences D.N. Fialkov on "The Qualitative Characteristic of Vertical Motions of the Earth's

Card 2/3

6-58-4-18/18 Chronicle Crust in the Steppe Region on the River Irtysh". Docent V. V. Yegorov "Modern Large-Scale Topographical Maps and Ways and Means of Attaining their Further Improvement". I.I. Larkson "The Demands made with Respect to the Representation of Soil Vegetation on Large-Scale Topographical Maps". Professor K.L. Provorov, director of the NIIGAik, in closing the conference, gave a summary of the results obtained. Library of Congress AVAILABLE: 2. Aerial photography-Conference 1. Geodetics-Conference 3. Cartography -- Conference Card 3/3

3(4) SOV/154-58-6-3/22 Gan'shin, V. N., Docent, Candidate of Technical Sciences AUTHOR:

Formulae for the Solution of Geodetic Tasks on the Spheroid by TITLE:

Means of Geodetic Coordinates (Formuly dlya resheniya geodezicheskikh zadach na sferoide po geodezicheskim

koordinatam)

Izvestiya vysshikh uchebnykh zavedeniy. Geodeziya i PERIODICAL:

aerofotos"yemka, 1958, Nr 6, pp 11-18 (USSR)

In a former paper (Ref 3) the author showed quite a simple ABSTRACT:

solution of geodetic problems concerning the elements of normal sections, using for the solution the reduced widths of the points. Further investigations by the author showed that by going the same way it is possible to manage with the geodetic widths of the points only. Here such a solution is presented. The formulae given in reference 3 permit to solve the direct problem without being forced to use the method of approximation in passing over from the azimuth on the ellipsoid $\alpha_{1,2}$ to the

azimuth of sphere A1.2. As to the solution of the inverse prob-

lems, the solutions by both methods are equivalent. A numeric Card 1/3

CIA-RDP86-00513R000614220019-6"

APPROVED FOR RELEASE: 09/17/2001

SOV/154-58-6-3/22

Formulae for the Solution of Geodetic Tasks on the Spheroid by Means of Geodetic Coordinates

example is given here showing that the results hardly differ from those obtained by the other method in the former paper. - Among all solutions of similar kind, the one by M. Cimbálnik (Tsimbal'nik) is most consistent (Ref 5). The formulae by Cimbálnik are given. The formulae given here and in the former paper differ from those by Cimbalnik by the absence of elements pertaining to the axes of orthogonal coordinates. The part of auxiliary quantities is played by the elements of the spherical triangle. This is approximately equal to the corresponding polar triangle lying on the surface of the ellipsoid of revolution. This gives the possibility of passing from the solution of the spheroidal triangle to the solution of the spherical triangle. - The spherical auxiliary triangles used here show a certain geometric interpretation. This is connected with the representation of the "central curve" of the ellipsoid on the spherical surface. The "central curve" is the trace of the ellipsoid section with the plane going through its middle. The formulae derived here and in the former paper permit to obtain not only the formulae for the arc of the meridian and the arc

Card 2/3

ξ,

Formulae for the Solution of Geodetic Tasks on the Spheroid by Means of Geodetic Coordinates

of the vertical circle but - as special cases - also those for the arc of the "central curve". There are 2 figures, 6 tables, and 6 references, 4 of which are Soviet.

ASSOCIATION:

Stalingradskiy institut inzhenerov gorodskogo khozyaystva (Stalingrad Institute for Engineers of Municipal Economy)

SUBMITTED:

April 10, 1958

Card 3/3

Gan'shin, V. N., Candidate of Technical 6-58-6-5/21 AUTHOR: Sciences

The Derivative of the Modulus of a Function Connected With the TITLE: Solving of Some Geodetical Problems (Differentsirovaniye modulya funktsii v svyazi s resheniyem nekotorykh geodezicheskikh zadach)

Geodeziya i kartografiya, 1958, Nr 6, pp. 24 - 26 (USSR) PERIODICAL:

In solving various geodetical problems it is sometimes necessary ABSTRACT: to determine the derivative of the modulus of a function of one independent variable. In the publications known to the author no rules for the differentiation of such a function are found. These rules are deduced and it is shown by some examples, how these formulae are used in practice. The author proceeds from

 $[f(x)]^2 = [f(x)]^2$, where f(x) is an arbitrary function with the derivative

 $\frac{df(x)}{dx}$. It follows, that $|f(x)| \frac{d|f(x)|}{dx} = f(x) \frac{df(x)}{dx}$. Card 1/2

The Derivative of the Modulus of a Function Connected 6.58-6-58-6-5/21 With the Solving of Some Geodetical Problems

From this

 $\frac{d|f(x)|}{dx} = \frac{f(x)}{|f(x)|} \cdot \frac{df(x)}{dx}$ is obtained, if $f(x) \neq 0$. Thus the derivative of a given function different from zero equals the derivative of the function times ± 1 , the sign agreeing with the sign of the value of the function. If f(x) is denoted by y and f'(x) by y', these formulae are obtained (2):

$$|y'| = \frac{y}{|y|} y'$$

$$|y''| = \frac{y}{|y|} y''$$

The method is explained by two examples. There is 1 Soviet reference.

1. Geodesics--Theory 2. Mathematics 3. Functions

Card 2/2

AUTHOR:

Gan'shin, V. N., Canditate of

507/6-58-10-8/17

Technical Sciences

TITLE:

Construction of the Grades and Lines With the Help of Angle Intersecting(Postroyeniye stroitel'noy setki

metodom uglovykh zasechek)


PERIODICAL:

Geodeziya i kartografiya, 1958, Nr 10, pp 43-45 (USSR)

ABSTRACT:

The construction of a rectangular lines and grades system generally proceeds in two stages: First the points of the base net are determined according to a low-accuracy method. Subsequently these points which are marked in the terrain by temporary stations are surveyed with a higher accuracy in order to determine the coordinates of the lines and grades net. In this procedure, various methods may be employed. This paper includes a description of one of these methods, which is elucidated with an example. There are 1 figure, 1 table, and 2 references, which are Soviet.

Card 1/2



"APPROVED FOR RELEASE: 09/17/2001 CIA-RDP86-00513R000614220019-6 the state of the s

3(4) AUTHOR: Gan'shin, V. N., Candidate of

307/6-58-12-12/14

Technical Sciences

TITLE:

On the Book by Z. K. Novokshanova "Karl Ivanovich Tenner, a Military Land Surveyor" (O knige Z. K. Novokshanovoy -

Karl Ivanovich Tenner voyennyy geodezist)

PERIODICAL:

Geodeziya i kartografiya, 1958, Nr 12, pp 68-71 (USSR)

ABSTRACT:

It is a biography of one of the most important Russian land surveyors in the first half of the 19th century, giving a true picture of the geodetical work at that time. Some inaccuracies

and errors in the representation are pointed out.

There is 1 Soviet reference.

Card 1/1

CIA-RDP86-00513R000614220019-6" **APPROVED FOR RELEASE: 09/17/2001**

CIA-RDP86-00513R000614220019-6 "APPROVED FOR RELEASE: 09/17/2001

种种类型的 11 2017 (2017) 11 2017 (2017) 11 2017 (2017) 11 2017 (2017) 11 2017 (2017) 12 2017 (2017) 12 2017 (2017)

SGV/154-59-4-15/17 3(4) 1) Khrenov, L. S., Professor, 2) Gan'shin, V. H., Docent AUTHORS: Theoretical and Practical Problems of the Application of TITLE: Geodesy in Industrial Architecture (Voprosy teorii i praktiki primencniya geodezii v promyshlennom stroitel'stve) Izvestiya vysshikh uchebnykh zavedeniy. Geodeziya i aero-PERIODICAL: fotos"yemka, 1959, Nr 4, pp 123 - 128 (USSR) This is a book review of a monograph by Professor B. I. Ger-ABSTRACT: zhula. In this monograph the scientific elaboration of questions from theory and practice on the application of geodesy in the field of industrial architecture is given. In the introduction the author analyses the importance of geodesy for the erection of engineer constructions and industrial constructions and defines the concept of the general plan and of the basic principles for the planning of the building site of industrial constructions. The book consists of three chapters. The first chapter deals with the question of the application of geodesy for the setting-up of a plan for the organisation of the ground for an industrial building. The

CIA-RDP86-00513R000614220019-6"

second chapter discusses the application of the general-

APPROVED FOR RELEASE: 09/17/2001

Card 1/2

Theoretical and Practical Problems of the Application 80V/154-59-4-15/17 of Geodesy in Industrial Architecture

plan project to nature and the constructions of buildings. The third chapter is dedicated to the preparation and establishment of the executive general plan for industrial construction. The various statements are discussed here and some critical remarks concerning the work are made, which as such is very valuable and useful. There are 5 Soviet references.

ASSOCIATION: 1) Moskovskiy institut inzhenerov vodnogo khozyajstva (Moscow Institute for Water Engineers) 2) Stalingradskiy institut inzhenerov gorodskogo khozyajstva (Stalingrad Institute for

Municipel Engineers)

SUBMITTED: October 20, 1958

cessa salida. Sali esee see liide eseen delliide asalaaliidi kasa salida salida salida salida salida salida sa

Card 2/2

sov/6-59-8-5/27 3(4)

Gan'shin, Y. N. Candidate of Technical Sciences AUTHOR:

On the Method of Adjusting Polygonal Course Nets Suggested by TITLE:

V. F. Antonyuzhenko (O sposobe uravnivaniya poligonometricheskikh

setey, predlozhennom V. F. Antonyuzhenko)

Geodeziya i kartografiya, 1959, Nr 8, pp 28-30 (USSR) PERIODICAL:

V. F. Antonyuzhenko (Ref 1) suggested a highly original ABSTRACT: method for the solution of conditional equations with unknown

numbers. This method, however, does not correspond with the method of the least squares. This is shown in the present paper. For this reason the method cannot be recommended as an exact solution for all polygonal courses. There is 1 Soviet reference.

Card 1/1

CIA-RDP86-00513R000614220019-6" **APPROVED FOR RELEASE: 09/17/2001**

GAN'SHIN, Vladimir Mikolayevich; VENTTSEL', M.K., prof., retsenzent;

FLORANT'IEV, V.B., spetsred.; VASIL'IEVA, V.I., red.izd-va;

ROMANOVA, V.V., tekhn.red.

[Nikolai IAkovlevich TSinger; geodesist, astronomer, and certographer] Nikolai IAkovlevich TSinger; geodesist, astronom i kartograf. Moskva, Izd-vo geodes.lit-ry, 1960. 113 p.

(MIRA 13:6)

(TSinger, Nikolai IAkovlevich, 1842-1918)

GAN'SHIN, V.N., dotsent, kand.tekhn.nauk

Group observation of directions from triangulation stations. Izv.vys.ucheb.zav.; geod.i aerof. no.1:121-128 '60. (MIRA 13:6)


1. Stalingradskiy institut inzhenerov gorodskogo khozyaystva. (Triangulation)

5/006/60/000/02/018/024 3(4), 25(2)B007/B011 Khrenov, L. S. AUTHORS: Gan'shin, V. N., On the Book by B.D. Yarovoy "Kratkiy ocherk razvitiya geo-TITLE: dezicheskogo instrumentostroyeniya v SSSR" (Brief Outline of the Development of the Geodetic Instrument Construction in the USSR") Geodeziya i kartografiya, 1960, Nr 2, pp 65-68 (USSR) PERIODICAL: This is a book review. The book consists of two parts, the ABSTRACT: first covers the time until 1917, the second from 1917 to 1950. It is written well and clearly, is amply illustrated with pictures, drawings and figures. A number of deficiencies, to be taken account of in the next edition, is pointed out here. The second part is only briefly outlined, and whole groups of instruments are left unconsidered. The following Russian names are mentioned in the first part: mechanic V. F. Gerbst, geodesist P. A. Mionchinskiy, Yu. V. Port, Tenner, mechanic G. K. Brauer, N. Ya. Tsinger, Repsol'd, colonel Ernfel't, astronomist V. K. Delen, O. V. Struve, Sire, Roskovich, the firm Gerlyakh, Ginsberg, the factories of Tryndin, Gromov and Tauber-Tsvetkov, mechanic P. A. Zarubin, engineer V. T. Odner. Card 1/2

On the Book by B. D. Yarovoy "Kratkiy ocherk razvitiya S/006/60/000/02/018/024/geodezicheskogo instrumentostroyeniya v SSSR" ("Brief B007/B011 Outline of the Development of the Geodetic Instrument Construction in the USSR")

prince Volkonskiy. The article by B. A. Larin is mentioned for the time after 1917. There are 1 figure and 4 Soviet references.

Card 2/2



等的。我们是是我们对目的 的复数别用的 经未通常的 **可**多的。

S/006/60/000/06/21/025 B007/B005

AUTHOR:

Gan'shin, V. N., Candidate of Technical Sciences

TITLE:

On the Problem of Resolving Triangles Formed by Chords

(Dealt With in an Article by M. I. Yurkina)

PERIODICAL:

Geodeziya i kartografiya, 1960, No. 6, pp. 67 - 72

TEXT: V. N. Gan'shin, Candidate of Technical Sciences, author of the book "Fedor Alekseyevich Sludskiy", thanks M. I. Yurkina, Candidate of Technical Sciences, (Ref., Footnote on p. 67) for some hints and the quotation of I. D. Zhongolovich's opinion on the importance of F. A. Sludskiy's works. At the same time, the author considers her reproaches of having neglected the works of contemporaries to be unjustified. The author points out that M. I. Yurkina often quotes a single sentence without any connection, and thus arrives at incorrect conclusions. This is illustrated by examples. The principal subject, namely, the evaluation of the chordal method, is also described, and it is shown that formulas (14) and (15) are simpler than the corresponding formulas (12) and (13), which fact is also stressed

Card 1/2

Remarks to help the first of th

On the Problem of Resolving Triangles Formed by S/006/60/000/06/21/025 Chords (Dealt With in an Article by M. I. Yurkina) B007/B005

in the book, and therefore one cannot agree to M. I. Yurkina's opinion. Krasovskiy, V. V. Buzuk (Ref., Footnote on p. 68), and M. S. Molodenskiy, Corresponding Member of the Akademiya nauk SSSR (Academy of Sciences of the USSR), are mentioned. There are 3 Soviet references.

Card 2/2

សាលាស្រាន ស្រី ប្រាសាស្រ្តិសីសាស្រ្តី សិទ្ធិន ស្រីសេខ <mark>សីសែខ ទេ ១៤</mark> សិស្ស <mark>(1990)គ្រង់ ខេត្តប</mark>្រាស្ត្រាប់ មេ

Geometrical analysis in the selution of geodetic problems. Izv. vys. ucheb. zav.; geod. i aerof. no.3:131-138 '60. (MIRA 13:10)

1. Stalingradskiy institut inshenerov gorodskogo khozyaystva. (Geodesy)

13,2300

S/154/60/000/005/001/008 B012/B060

3,4000

AUTHOR:

Gan'shin, V. N., Candidate of Technical Sciences, Docent

TITLE:

Main Properties of the Setting Curve on the Ellipsoid of

Revolution

PERIODICAL:

Izvestiya vysshikh uchebnykh zavedeniy. Geodeziya i

aerofotos"yemka, 1960, No. 5, pp. 3 - 7

TEXT: Distant points on the earth's surface can be interconnected by curves, such as a setting curve. If the latter connects two points P₁ and

 P_2 , the normal plane passing through P_1 must also pass through P_2 . On this premise it is shown that the setting curve on an ellipsoid of revolution is a curve of intersection of the ellipsoid of revolution with a hyperbolic paraboloid (with equal parameters p and q). It follows from the definition of the setting curve that the azimuths of this curve coincide at the end points with the azimuths of the respective normal sections. The length $S_{1,2}$ of an arbitrary curve connecting two points (with the reduced widths u_1 and u_2) on the ellipsoid of revolution is expressed in terms of

Card 1/3

Main Properties of the Setting Curve on the 5/154/60/000/005/001/008 Ellipsoid of Revolution B012/B060

a determined integral. To calculate the derivative dl/du contained in this integral it is necessary to use the equation of the curve concerned. The author did not succeed in obtaining an expedient formula for S 1.2 for the case of the setting curve. It is, however, pointed out that when restricting oneself to an approximate solution, one may follow the course indicated by F. A. Sludskiy (Ref. 1). The latter showed that for two sufficiently near ellipsoid points, the difference between the length of the setting curve and the length of the geodetic line is four times as small as the difference between the length of the normal curve of intersection and the length of the geodetic line. Such a comparison was not made for points distant from one another. Formula (12)

$$D_{s} = \frac{\sigma_{12}^{5} \text{ ae}^{4}}{1440} \sin^{2} 2A_{1} \cos^{4} u_{1}$$

 $D_s = \frac{\sigma_{12}^5 \text{ ae}^4}{1440} \sin^2 2A_1 \cos^4 u_1$ is derived here for the difference D_s between the length of the geodetic line and the length of the setting curve. F. A. Sludskiy obtained the same formula. e is the eccentricity of the ellipsoid, a is the semimajor axis of the ellipsoid. A_4 is the azimuth of the great circle curve at the point Card 2/3

Main Properties of the Setting Curve on the S/154/60/000/005/001/008 Ellipsoid of Revolution S/154/60/000/005/001/008

with the width u_1 . $f(\sigma)$ is the function determining the difference between the length of points on the setting curve and the length of the points on the geodetic line on one and the same meridian. There are 2 Soviet references.

ASSOCIATION: Stalingradskiy institut inzhenerov gorodskogo khozyaystva


(Stalingrad Institute for Engineers of the Municipal


Services)

SUBMITTED: June 9, 1960

Property of the constant of the second of th

Card 3/3





CIA-RDP86-00513R000614220019-6" **APPROVED FOR RELEASE: 09/17/2001**

GAN'SHIN, Vladimir Nikolayevich; KHRENOV, Leonid Sergeyovich, prof.;


LARCHENKO, Ye.G., red.; MEL'NIKOVA, A.G., red. izd-va;

PARAKHINA, N.L., tekhn. red.

[Tachymetric tables for calculating heights and ground distances using a circular tachymeter and alidade] Takheometricheskie tablitsy dlia vychislenii prevyshenii i gorizontal'nykh prolozhenii pri rabote s krugovym takheometrom i klpregelem. Izd.3., dop.

Moskva, Goslesbumizdat, 1961. 251 p. (MIRA 15:1)

(Surveying—Tables etc.)



STREET STREET

.12022

s/154/61/000/001/001/003 D054/D113

3.4000 (1/21, 1/28)

AUTHOR: Gan'shin, V.N., Candidate of Technical Sciences, Docent

TITLE: Adjustment of levelling nets of the general type

PERIODICAL: Izvestiya vysshikh uchebnykh zavedeniy. Geodeziya i aerofotos"yemka, no. 1, 1961, 21-25

TEXT: The author proposes a series of equations for strictly adjusting levelling nets of the general type with stations from which more than two radial points were simultaneously surveyed. The lack of methods for precisely levelling these nets was pointed out by Candidate of Technical Sciences, Docent I.I. Kupchinov (Ref. 3: Nivelirovaniye poverkhnosti Levelling of a surface). Izvestiya vysshikh uchebnykh zavedeniy. Razdel Geodeziya i aerofotos"yemka. Vyp. 3, 1959, str. 85-86). The problem of adjusting levelling nets with only one relative height was solved by Professor A.S. Chebotarev (Ref. 1: Geodeziya Geodesy). M., Geodezizdat, Ch. II, 1949) and Professor V.V. Popov (Ref. 2: Uravnoveshivaniye poligonov Adjustment of polygons). Izd. 8, M., Geodezizdat, 1954). Assuming that a levelling net composed of n points is levelled from m stations, let us mark the reading on the i point taken from the j station by a i, j, the weight of the reading - Gard 1/13

22022

\$/154/61/000/001/001/003 DO54/D113

Adjustment of levelling nets...

by $p_{i,j}$ (in particular cases this weight can be equal to 0), the height of the i point by X, and the level of the instrument at the j station - by Y, The most probable meaning of the values X_i (i = 1,2,3,...n) and Y_j (j = = 1,2,3,...m) is then found from the solution of the error equations (1,2)

$$\delta_{i,j} = X_i + a_{i,j} - Y_j \tag{1}$$

$$i = 1, 2, 3, ..., n; j = 1, 2, 3, ..., m;$$
 (2)

under the condition of the minimum (3)

$$G = \sum_{i=1}^{n} \sum_{j=1}^{n} p_{i,j} \delta_{i,j}^{2} = \min \max$$
 (3)

 $G = \sum_{i=1}^{n} \sum_{j=1}^{m} p_{i,j} S_{i,j}^{2} = minimum$ In that case $S_{i,j}$ is the most probable error of the $a_{i,j}$ reading. Taking the partial derivatives of the function (3) in the usual order with respect to the variables X_1, X_2, \dots, X_n and Y_1, Y_2, \dots, Y_m and equalling them to 0,


Card 2/13

APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000614220019-6"

"APPROVED FOR RELEASE: 09/17/2001 CIA-

CIA-RDP86-00513R000614220019-6



22022

S/154/61/000/001/001/003 D054/D113

Adjustment of levelling nets...

where

 $M_i = \sum_{j=1}^m p_{i,j}; \quad N_j = \sum_{j=1}^n p_{i,j}.$

(B)

The unknown X and Y values are to be found from the joint solution of the equations (6) and (7). This can be achieved in three ways. 1st method - Calculation of the most probable point heights. By substituting the Y values from equation (7) in (6) the following "normal" system is obtained:

$$\begin{array}{l}
(M_{1} - M_{1:1}) X_{1} - M_{1:2} X_{2} - \dots - M_{1:n} X_{n} + R_{1} = 0 \\
- M_{2:1} X_{1} + (M_{2} - M_{2:2}) X_{2} - \dots - M_{2:n} X_{n} + R_{2} = 0 \\
\vdots \\
- M_{n:1} X_{1} - M_{n:2} X_{2} - \dots + (M_{n} - M_{n:n}) X_{n} + R_{n} = 0
\end{array}$$
(9)

where

$$M_{i,k} = \sum_{j=1}^{m} \frac{p_{i,j} p_{k,j}}{N_j}; \quad i, k = 1, 2, \dots n;$$
 (10)

Card 4/13

Adjustment of levelling nets...

S/154/61/000/001/001/003 D054/D113

$$R_{i} = \sum_{l=1}^{m} p_{i,l} (a_{i,l} - a_{0,l}); \quad i = 1, 2, \dots n;$$
 (11)

$$R_{i} = \sum_{j=1}^{m} p_{i,j} (a_{i,j} - a_{0,j}); \quad i = 1, 2, \dots n;$$

$$a_{0,i} = \sum_{j=1}^{n} \frac{p_{i,j} a_{i,j}}{N_{j}}; \quad j = 1, 2, \dots m.$$
(11)
(12)

For a direct definition of the value of the function (3), omitting the calculation of the S values, we obtain

$$G = \sum_{i=1}^{n} \sum_{j=1}^{m} p_{i,j} (a_{i,j} - a_{0,j})^{2} + \sum_{i=1}^{n} R_{i} X_{i}.$$
 (13)

The error of the weight unit μ will be determined by the equation

 $\mu = \pm \sqrt{\frac{G}{N+1-n-m}}$ (14)

Card 5/13

s/154/61/000/001/001/003

Adjustment of levelling nets...

where N is the total number of readings made. If we consider that all were made with similar accuracy then we can assume that Pi,j = 1 for all points sighted from the j station (the weight is equal to 0 for all points not sighted from the given station). In this case all values included in the equation (9) are easy to understand and easily determined:

Nj number of readings made on the j station;

average reading for the j station;

"reading cited for the station";

R the sum of "cited readings for the j station" in relation to the i point;

^Mi,k the sum of values inverse to the N, numbers for stations from which the i and k points had been sighted; and

M, Card 6/13 the number of stations from which the i point was sighted.

22022 S/154/61/000/001/001/003 D054/D113

Adjustment of levelling nets...

2nd method - Calculation of the most probable levels. Substituting the X values from equations (6) and (7) we obtain

$$(N_{1} - N_{1,1}) Y_{1} - N_{1,2} Y_{2} - \dots - N_{1,m} Y_{m} - S_{1} = 0;$$

$$-N_{2,1} Y_{1} + (N_{2} - N_{2,2}) Y_{2} - \dots - N_{2,m} Y_{m} - S_{2} = 0;$$

$$-N_{m,1} Y_{1} - N_{m,2} Y_{2} - \dots + (N_{m} - N_{m,m}) Y_{m} - S_{m} = 0,$$

$$(15)$$

where

$$N_{j,v} = \sum_{l=1}^{n} \frac{p_{i,l} p_{l,v}}{M_{l}}; \quad j, v = 1, 2, \dots m;$$

$$S_{j} = \sum_{l=1}^{n} p_{i,l} (a_{i,l} - a_{i,0}); \quad j = 1, 2, \dots m;$$

$$(16)$$

$$(17)$$

$$S_{j} = \sum_{i=1}^{n} p_{i,j} (a_{i,j} - a_{i,0}); \quad j = 1, 2, \dots m; \tag{17}$$

$$a_{i,0} = \sum_{i=1}^{m} \frac{p_{i,j} a_{i,j}}{M_i}; \quad i = 1, 2, \dots n.$$
 (18)

Card', 7/13

22022 \$/154/61/000/001/001/003 D054/D113

Adjustment of levelling nets...

The μ value is determined from the equation (14) whereas G can be found directly from the equation

$$G = \sum_{i=1}^{n} \sum_{j=1}^{m} p_{i,j} (a_{i,j} - a_{i,k})^2 - \sum_{j=1}^{m} S_j Y_j.$$
 (19)

Provided that the weights of the readings are equal to 0 or 1 - all values can be easily understood and determined:

The sum of values inverse to the M, numbers for the i points sighted from the i and v stations;

M. - number of readings made on the i point;

a, average reading on the i point;

(a_{i,i} - a_{i,o}) "cited reading for the point";

Card 8/13

s/154/61/000/001/001/003 D054/D113

Adjustment of levelling nets...

S - the sum of "cited readings for the points" sighted from the j station; and

N; - number of points sighted from the j station.

The obtained "normal" systems (9) and (15) are indefinite: the sums of the coefficients along the lines and columns are both equal to 0. This indefiniteness can be seen from the fact that if the system of \overline{X}_1 , \overline{X}_2 ,... \overline{X}_n , \overline{Y}_1 , \overline{Y}_2 ,... \overline{Y}_m is the solution of the equations (1) and (2) under the condition (3), then any other system of the type \overline{X}_1 + t, \overline{X}_2 + t,... \overline{X}_n + t, \overline{Y}_1 + t, \overline{Y}_2 + t,... \overline{Y}_m + t, where t is a random number, will also be the solution of these equations under the condition (3). If the unknowns X_1 , X_2 ,... X_n , Y_1 , Y_2 ,... Y_m are obtained for any random value (for instance X_1 = 0 or Y_1 = 0, etc) one solution of the a/m type will be obtained. By an expedient selection of coefficients in the complementary equation connecting the unknown values, a certain simplification of the solution can Card 9/13

22022 S/154/61/000/001/001/003 D054/D113

Adjustment of levelling nets ...

be obtained. 3rd method - Solution by the method of sequential approximations. Let us list the equations (6,7) in this form:

$$X_{i} = \sum_{j=1}^{m} \frac{p_{i,j}}{M_{i}} \left(Y_{j} = \alpha_{i,j} \right), \quad (20)$$

[Abstracter's note: Obvious misprint. The second part should be $(Y_j - a_{i,j})$].

$$\bigvee_{j} = \sum_{i=1}^{n} \frac{p_{i,j}}{N_{j}} \left(\chi_{i} + a_{i,j} \right).$$
(21)

With the help of some approximate values obtained for Y, the same approximate values for X are determined from the equation (20). Substituting these X values in the equation (21) consequent approximations for the Y values will be determined. The three a/m methods of adjustment are precise and suitable for any given levelling net. If a series of points 1, 2,...k has a definite height value, then, for adjusting in accordance with the a/m equations, it is sufficient to consider that these points were sighted Card 10/13

S/154/61/000/001/001/003 D054/D113

Adjustment of levelling nets ...

from the (m + 1) station and the following readings were obtained:

$$a_{1,m+1} = Y_{m+1} - X_1; a_{2,m+1} = Y_{m+1} - X_2; ..., a_{k,m+1} = Y_{m+1} - X_k;$$

with the weight equal to infinity $(\delta_{i,m+1} = 0)$, wherein Y_{m+1} is the random value. In this case, the a/m equations were given in another work by the author (Ref. 4: Gan'shin, V.N. Metodika nablyudeniya i uravnoveshivaniya triangulyatsionnykh stantsiy [Method of sighting and adjustment of triangulation stations]. Kandidatskaya dissertatsiya, Khar'kov, SKhI, 1949). Calculations will be much simpler if readings on each radial point are made from only two stations. In that case all the $a_{i,j}$ and $a_{i,v}$ ($i=1,2,\ldots n$; $v=1,2,\ldots n$) readings are replaced by the relative height $a_{i,v}$ which determines the difference between the levels of the instrument on stations $a_{i,v}$ and $a_{i,v}$ values are calculated from the equation

 $h_{j,v} = -h_{v,j} = \frac{\sum_{i=1}^{n} P_{j,v}(a_{i,v} - a_{i,j})}{P_{j,v}}.$ (22)

Card 11/13

22022 \$/154/61/000/001/001/003 D054/D113

Adjustment of levelling nets...

where

$$P_{j,v}^{i} = \frac{p_{i,j}p_{i,v}}{p_{i,j} + p_{i,v}}; P_{j,v} = \sum_{i=1}^{n} P_{j,v},$$
(23)

can be considered as measured directly with the weight equal to P_{j,v}. The author further considers a more particular case of a levelling net described by I.I. Kupchinov (Ref. 3) Abstracter's note: The case is not stated. Here he finds that the strict adjustment of the net is quite simple and does not give place to any new methods of calculation; the adjustment can also be made by applying the method of equivalent substitutions. He also finds that the method of calculating the differences of levels of the instrument, as proposed by Kupchinov, is "homemade" and without sufficient theoretical substantiation and generalization. He stresses the importance of the method of work organization proposed by Kupchinov. For elongated sections to be surveyed, the author recommends the use of traverses with the strict application of methods developed by A.S. Chebotarev

Card 12/13

22022

S/154/61/000/001/001/003 D054/D113

Adjustment of levelling nets...

Abstracter's note: Essentially com-(Ref. 1) and $V \cdot V$, Popov (Ref. 2). plete translation. There are 4 Soviet references and 2 figures.

ASSOCIATION: Stalingradskiy institut inzhenerov gorodskogo khozyazstva


(The Stalingrad Institute of Engineers of the Municipal

Economy)

February 23, 1960 SUBMITTED:

Card 13/13

CIA-RDP86-00513R000614220019-6" **APPROVED FOR RELEASE: 09/17/2001**



s/035/62/000/003/034/053 A001/A101 16,5000 Reasonal proposals for the solution of the first (direct) problem AUTHOR: by Bessel's method Referativnyy zhurnal, Astronomiya i Geodeziya, no. 3, 1962, 23-24, TITLE: abstract 3G181 ("Izv. vyssh. uchebn. zavedeniy. Geod. i aerofotos" PERIODICAL: yemka", 1961, no. 3, 45-51) The formula is presented which enables one to calculate directly arc o on Bessel's sphere using the following data: arc length S of the geodesic line on the ellipsoid, its azimuth A at the initial point, and reduced latitude $6' = S_1 + (I)[n_0/2 + (II)(n_0/2)^2 + (III)(n_0/2)^3 + ...],$ U₁ of this latter, $S_1 = S_0 - (1/8) n_0^2 \sin 2 S_0; S_0 = S/R_0;$ $n_0 = (\kappa^2/4) - 2(\kappa^2/4)^2 + 5(\kappa^2/4)^3 - 14(\kappa^2/4)^4 + \dots$ where Card 1/3

s/035/62/000/003/034/053

Reasonal proposals for the solution ...

$$R_{o} = b[1 + (k^{2}/4) - (3/4)(k^{2}/4)^{2} + (5/4)(k^{2}/4)^{3} - (175/64)(k^{2}/4)^{4} + ...]$$

$$k^{2} = e^{t^{2}}(1 - e^{2}); \quad c = \cos U_{1} \sin A_{1}$$

$$(I) = \sin 2 (M_{1} + S_{1}) - \sin 2 M_{1};$$

$$II = (1/2)[5 \cos 2 (M_{1} + S_{1}) + \cos 2 M_{1}];$$

$$III = (1/6)[29 \cos 4(M_{1} + S_{1}) + 2 \cos 4 M_{1} + ...]$$

$$+ 7 \cos 2 S_{1} - \cos (4 M_{1} + 2 S_{1}) - 1]$$

 $tgM_1 = tg U_1/cos A_1.$

It is recommended to compile tables for the quantities n_0 and (R_0-b) and graphs for (III). (These tables and graphs will be useful also for solving the direct problem relative to elements of the normal section. Reviewer). The author derives a relationship between the differences of longitudes $(\omega-1)$ on Bessel's sphere and on the ellipsoid in the form of a function of the difference

Card 2/3

\$/035/62/000/003/034/053 AG01/A101


Reasonal proposals for the solution ...


of arcs $(\tilde{o} - S_0)$: $(\tilde{o} - 1) = e^2 c/2 [(1 + n - (1/2) n_0) \tilde{o} + (1/2)(1 + n_0) (\tilde{o} - S_0)] + r$, where n = (a - b)/(a + b) and $r = \Delta_2 - \Delta_1$, where Δ_1 and Δ_2 are functions of constant c respectively quantities M_1 and $(M_1 + \tilde{o})$ (?) are taken from the presented graph (in the article this graph is erroneously referred to quantity III. Reviewer).

V. Canshin

[Abstracter's note: Complete translation]

Card 3/3





"APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000614220019-6

16 6500

s/035/62/000/007/078/083 A001/A101

AUTHORS:

Khrenov, L. S., Gan'shin, V. N.

TITLE:

Fundamental tables of natural values of trigonometric functions

PERIODICAL: Referativnyy zhurnal, Astronomiya i Geodeziya, no. 7, 1962, 29. abstract 7G214 ("Dokl. Mosk. s.-kh. akad. im. K. A. Timiryazeva", 1961, no. 67, 217 - 257)

TEXT: The authors discuss the problems of precision of multi-digit taoles for natural values of trigonometric functions. They point out that fundamental 10-digit tables are being devised which are compiled according to the principle of retaining 10 non-zero digits. The first part of the planned tables contains natural values of functions cosec and ctg for arguments from 0 to 6° with intervals of one arc second. Second differences are presented for square interpolation. The second part contains natural values of all six trigonometric functions for angles from 0 to 45° with intervals of 10". In these tables, all first and second differences are given for arguments from 0 to 6° for functions sin, tg; sec and cos, but for functions cosec and ctg no table differences are given, which indicates the necessity of using, in interpolations, the values

Card 1/2

"APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000614220019-6

Fundamental tables of ...


S/035/62/000/007/078/083 A001/A101

of these functions placed in the first part of the tables. Only first differences are given for functions sin, tg, sec and cos for arguments from 6 to 10°, but all values of first and second differences are given for functions cosec and ctg for each 10" interval. Only first differences are given for all six functions from 10 to 45°. The content is illustrated by graphs and tables.

I. Shelikhova

[Abstracter's note: Complete translation]

Card 2/2



"APPROVED FOR RELEASE: 09/17/2001

CIA-RDP86-00513R000614220019-6

45322

S/154/62/000/006/001/002 D036/D114

AUTHOR:

Gan'shin, V.N., Professor

TITLE:

Investigating an arbitrary normal section on an ellipsoid of

. rotation

PERIODICAL:

Izvestiya vysshikh uchebnykh zavedeniy. Geodeziya i aerofoto-

sⁿyemka, no. 6, 1962, 9-16

TEXT: An investigation is made into an arbitrary normal section on an ellipsoid of rotation, i.e. a section which passes through two given points and is normal in respect to a certain third point. Generalized formulae are given for the arbitrary normal section, its position, the difference between the lengths of the geodesic and the arc of the section, the minimum length of the section, the azimuth of the section at an arbitrary point, and the length of the section's arc. The particular case of a right normal section is discussed. There are 4 figures and 2 tables.

ASSOCIATION:

Leningradskiy institut inzhenerov zheleznodorozhnogo transporta

(Leningrad Institute of Railroad Transportation Engineers)

SUBMITTED:

July 26, 1962

Card 1/1

BUTKEVICH, A.V.; AMGELOV, S.A.; GAM'SHIM, Y.N.

Authorship of tables. Geod.i kart. no.10:66-68 0 '62.

(MIRA 15:12)

(Surveying-Tables, Etc.)

